

16 February 1998
C1-Q6C-SL-98-043

California Regional Water Quality Control Board
Los Angeles Region
101 Centre Plaza Drive
Monterey Park, CA. 91754

Attention: Technical Support Unit

Subject: SUBMITTAL OF ANNUAL REPORT FOR NPDES PERMIT NO. CA
0001414 - COMPLIANCE FILE NO. 5999 FOR 1997

Attachments: 1) Tabular and Graphical Summaries of the Monitoring Data
Obtained During 1997 for Discharge Location 001
2) Copies of Laboratory Analyses

Gentlemen:

Douglas Products Division (DPD) (formerly Douglas Aircraft Company) herewith submits the annual report in accordance with the General Monitoring and Reporting Provision number 5999. The report contains tabular and graphical summaries of the monitoring data obtained during 1997. Copies of laboratory analyses are also attached. There were no water treatment chemicals discharged during 1997.

There was no waste discharge flow from this facility during 1997, consequently, no samples were collected and no analyses were conducted. Truesdail Laboratories of Tustin, California, measured temperature and pH at the discharge location monthly. Truesdail Laboratories has been instructed by DPD not to sample the location when no flow occurs.

Due to no waste discharge flow at this location, DPD has requested rescission of NPDES permit number CA0001414. The permit rescission was adopted on January 26, 1998 as Order No. 98-009. This will be the last NPDES discharge summary report for this facility. If you have any questions, please contact the undersigned at (562) 593-3902.

"I declare under penalty of perjury that the foregoing is true and correct", executed on the 16th day of February, 1998.

Sincerely,




Scott Lattimore
Environmental Engineer
Safety, Health, and Environmental Affairs




**1997 ANNUAL DISCHARGE SUMMARY
(NPDES #CA0001414)**


	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
TEMPERATURE (F)	55	60	58	58	70	70	72	72	80	76		60
pH	9	8.4	7.6	8.2	8.1	7.5	7.6	7.8	7.3	7.6	7.3	8.4
BODs @ 20 C (mg/l)												
SETTLEABLE SOLIDS (mg/l)												
OIL & GREASE (mg/l)												
TOTAL SUSPENDED SOLIDS (mg/l)												
CHROMIUM (mg/l)												
96 HOUR BIOASSAY (% survival)												

TEMPERATURE (F)
Annual Discharge Summary (1997)



pH
Annual Discharge Summary (1997)





TRUESDAIL LABORATORIES, INC.

INDEPENDENT TESTING, FORENSIC SCIENCE, AND ENVIRONMENTAL ANALYSES

14201 FRANKLIN AVENUE • TUSTIN, CALIFORNIA 92780
PHONE (714) 730-6239 • FAX (714) 730-6462

REPORT

CLIENT: Boeing
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: December 12, 1997

RECEIVED: December 05, 1997


LABORATORY NUMBER: 405661

SAMPLE DATE: 12/05/97
SAMPLE TIME: 08:15 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS


pH, Units (EPA 150.1)	8.4
Temperature, °F	60
Total Flow	Approximately 20 GPM



Respectfully Submitted,
TRUESDAIL LABORATORIES, Inc.

Julia Nayberg
Julia Nayberg, Manager
Water and Waste Laboratory

This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these laboratories.



TRUESDAIL LABORATORIES, INC.

INDEPENDENT TESTING, FORENSIC SCIENCE, AND ENVIRONMENTAL ANALYSES

14201 FRANKLIN AVENUE • TUSTIN, CALIFORNIA 92780
PHONE (714) 730-6239 • FAX (714) 730-6462

REPORT

CLIENT: Boeing
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: December 02, 1997

RECEIVED: November 19, 1997

LABORATORY NUMBER: 405359

SAMPLE DATE: 11/19/97
SAMPLE TIME: 08:00 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED


RESULTS

pH, Units (EPA 150.1)

7.3


No reported flow, therefore no sample collected.

Respectfully Submitted,
TRUESDAIL LABORATORIES, Inc.


Julia Nayberg, Manager
Water and Waste Laboratory



This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these laboratories.



TRUESDAIL LABORATORIES, INC.

INDEPENDENT TESTING, FORENSIC SCIENCE, AND ENVIRONMENTAL ANALYSES

14201 FRANKLIN AVENUE • TUSTIN, CALIFORNIA 92780
PHONE (714) 730-6239 • FAX (714) 730-6462

REPORT

CLIENT: Boeing
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: October 06, 1997

RECEIVED: October 02, 1997

LABORATORY NUMBER: 404354


SAMPLE DATE: 10/02/97
SAMPLE TIME: 08:00 AM
SAMPLE SITE: Torrance Storm Drain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414


MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS


Total Flow, GPD	No flow reported
Temperature, °F	76
pH, Units (EPA 150.1)	7.6

Respectfully Submitted,
TRUESDAIL LABORATORIES, INC.


Julia Nayberg, Manager
Water and Waste Laboratory



This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these laboratories.



TRUESDAIL LABORATORIES, Inc.
CHEMISTS - MICROBIOLOGISTS - ENGINEERS

14201 FRANKLIN AVENUE • TUSTIN, CALIFORNIA 92780
PHONE (714)730-6239 • FAX (714)730-6462

REPORT

CLIENT: Boeing
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: September 10, 1997

RECEIVED: September 05, 1997

LABORATORY NUMBER: 403873

SAMPLE DATE: 09/05/97
SAMPLE TIME: 11:35 AM
SAMPLE SITE: Torrance Storm Drain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS

Total Flow, GPD

No flow reported


Temperature, °F

80


pH, Units (EPA 150.1)

7.3

Respectfully Submitted,
Truesdail Laboratories, Inc.


Julia Nayberg, Manager
Water and Waste Laboratory

This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these laboratories.



TRUESDAIL LABORATORIES, Inc.

CHEMISTS - MICROBIOLOGISTS - ENGINEERS

14201 FRANKLIN AVENUE • TUSTIN, CALIFORNIA 92780
PHONE (714)730-6239 • FAX (714)730-6462

REPORT

CLIENT: Boeing
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

SAMPLE DATE: 08/14/97
SAMPLE TIME: 07:40 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

REPORT DATE: September 10, 1997

RECEIVED: August 14, 1997


LABORATORY NUMBER: 403540


MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS


no reported flow, therefore no sample collected.

Respectfully Submitted,
Truesdail Laboratories, Inc.


Julia Nayberg, Manager
Water and Waste Laboratory



This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these laboratories.



TRUESDAIL LABORATORIES, INC.

CHEMISTS - MICROBIOLOGISTS - ENGINEERS

14201 FRANKLIN AVENUE • TUSTIN, CALIFORNIA 92780
PHONE (714)730-6239 • FAX (714)730-6462

REPORT

CLIENT: Boeing
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: August 27, 1997

RECEIVED: August 14, 1997

LABORATORY NUMBER: 403539

SAMPLE DATE: 08/14/97
SAMPLE TIME: 07:40 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS

Total Flow, GPD

No flow reported

Temperature, °F


72

pH, Units (EPA 150.1)


7.8

Respectfully Submitted,
Truesdail Laboratories, Inc.

Julia Nayberg, Manager
Water and Waste Laboratory



This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these laboratories.



TRUESDAIL LABORATORIES, INC.
CHEMISTS - MICROBIOLOGISTS - ENGINEERS

14201 FRANKLIN AVENUE • TUSTIN, CALIFORNIA 92780
PHONE (714)730-6239 • FAX (714)730-6462

CLIENT: Douglas Corporation
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT

REPORT DATE: July 08, 1997

RECEIVED: July 03, 1997

LABORATORY NUMBER: 402857

SAMPLE DATE: 07/03/97
SAMPLE TIME: 08:45 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS

Total Flow, GPD

No flow reported


Temperature, °F

72

, Units (EPA 150.1)


7.6

**Respectfully Submitted,
Truesdail Laboratories, Inc.**


**Julia Nayberg, Manager
Water and Waste Laboratory**



This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these laboratories.



TRUESDAIL LABORATORIES, INC.

CHEMISTS - MICROBIOLOGISTS - ENGINEERS

14201 FRANKLIN AVENUE • TUSTIN, CALIFORNIA 92780
PHONE (714)730-6239 • FAX (714)730-6462

CLIENT: Douglas Corporation
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT

REPORT DATE: June 10, 1997

RECEIVED: June 06, 1997

LABORATORY NUMBER: 402465

SAMPLE DATE: 06/06/97
SAMPLE TIME: 08:40 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS

Total Flow, GPD

No flow reported

Temperature, °F

70

Units (EPA 150.1)

7.5

Respectfully Submitted,
Truesdail Laboratories, Inc.

Julia Nayberg


Julia Nayberg, Manager
Water and Waste Laboratory



This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these laboratories.

TRUESDAIL LABORATORIES, INC.

CHEMISTS · MICROBIOLOGISTS · ENGINEERS
RESEARCH · DEVELOPMENT · TESTING
ESTABLISHED 1931



14201 FRANKLIN AVENUE
TUSTIN, CALIFORNIA 92780
(714) 730-6239
FAX (714) 730-6462

CLIENT: Douglas Corporation
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: May 28, 1997

RECEIVED: May 23, 1997

LABORATORY NUMBER: 402248

SAMPLE DATE: 05/23/97
SAMPLE TIME: 09:35 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

QUARTERLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED


RESULTS

* No flow reported, therefore no samples were taken.

Respectfully Submitted,
Truesdail Laboratories, Inc.


Juliana Pascual for

Julia Nayberg, Manager
Water and Waste Laboratory



This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public and these Laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these Laboratories.

TRUESDAIL LABORATORIES, INC.



CHEMISTS · MICROBIOLOGISTS · ENGINEERS
RESEARCH · DEVELOPMENT · TESTING
ESTABLISHED 1931

14201 FRANKLIN AVENUE
TUSTIN, CALIFORNIA 92780
(714) 730-6239
FAX (714) 730-6462

CLIENT: Douglas Corporation
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: May 28, 1997

RECEIVED: May 23, 1997

LABORATORY NUMBER: 402248

SAMPLE DATE: 05/23/97
SAMPLE TIME: 09:35 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS

Total Flow, GPD

No flow reported

pH, Units (EPA 150.1)

8.1

Temperature, °F

70

Respectfully Submitted,
Truesdail Laboratories, Inc.

Julia Nayberg

Julia Nayberg, Manager
Water and Waste Laboratory




This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public and these Laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these Laboratories.

REPORT

TRUESDAIL LABORATORIES, INC.

CHEMISTS · MICROBIOLOGISTS · ENGINEERS
RESEARCH · DEVELOPMENT · TESTING
ESTABLISHED 1931



14201 FRANKLIN AVENUE
TUSTIN, CALIFORNIA 92780
(714) 730-6239
FAX (714) 730-6462

CLIENT: Douglas Corporation
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: April 09, 1997

RECEIVED: April 07, 1997

LABORATORY NUMBER: 401496

SAMPLE DATE: 04/04/97
SAMPLE TIME: 08:55 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS


total Flow, GPD
pH, Units (EPA 150.1)
Temperature, °F


No flow reported

8.2

58

Respectfully Submitted,
Truesdail Laboratories, Inc.


Julia Nayberg, Manager
Water and Waste Laboratory




This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public and these Laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these Laboratories.

REPORT

TRUESDAIL LABORATORIES, INC.

CHEMISTS · MICROBIOLOGISTS · ENGINEERS
RESEARCH · DEVELOPMENT · TESTING
ESTABLISHED 1931



14201 FRANKLIN AVENUE
TUSTIN, CALIFORNIA 92780
(714) 730-6239
FAX (714) 730-6462

CLIENT: Douglas Corporation
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: March 11, 1997

RECEIVED: March 10, 1997

LABORATORY NUMBER: 401032

SAMPLE DATE: 03/07/97
SAMPLE TIME: 09:00 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS

Total Flow, GPD
pH, Units (EPA 150.1)
Temperature, °F

No flow reported


7.6

58

Respectfully Submitted,
Truesdail Laboratories, Inc.

Juliana Blasquez for


Julia Nayberg, Manager
Water and Waste Laboratory



This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public and these Laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these Laboratories.

REPORT

TRUESDAIL LABORATORIES, INC.



CHEMISTS · MICROBIOLOGISTS · ENGINEERS
RESEARCH · DEVELOPMENT · TESTING
ESTABLISHED 1931

14201 FRANKLIN AVENUE
TUSTIN, CALIFORNIA 92780
(714) 730-6239
FAX (714) 730-6462

CLIENT: Douglas
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: February 18, 1997

RECEIVED: January 13, 1997

LABORATORY NUMBER: 400695

SAMPLE DATE: 02/13/97
SAMPLE TIME: 09:25 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS

Total Flow, GPD
pH, Units (EPA 150.1)
Temperature, °F


No flow reported

8.4

60

Respectfully Submitted,
Truesdail Laboratories, Inc.


Julia Nayberg
Julia Nayberg, Manager
Water and Waste Laboratory



This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public and these Laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these Laboratories.

REPORT

TRUESDAIL LABORATORIES, INC.



CHEMISTS · MICROBIOLOGISTS · ENGINEERS
RESEARCH · DEVELOPMENT · TESTING
ESTABLISHED 1931

14201 FRANKLIN AVENUE
TUSTIN, CALIFORNIA 92780
(714) 730-6239
FAX (714) 730-6462

CLIENT: McDonnell Douglas Aircraft
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: February 13, 1997

RECEIVED: January 14, 1997

LABORATORY NUMBER: 400173

SAMPLE DATE & TIME: 01/09/97
SAMPLE TIME: 09:10 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

MONTHLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED

RESULTS


Total Flow, GPD
pH, Units (EPA 150.1)
Temperature, °F

No flow reported

9.0

55


Respectfully Submitted,
Truesdail Laboratories, Inc.


Julia Nayberg, Manager
Water and Waste Laboratory



This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public and these Laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from these Laboratories.

TRUESDAIL LABORATORIES, INC.



CHEMISTS · MICROBIOLOGISTS · ENGINEERS
RESEARCH · DEVELOPMENT · TESTING
ESTABLISHED 1931

14201 FRANKLIN AVENUE
TUSTIN, CALIFORNIA 92780
(714) 730-6239
FAX (714) 730-6462

CLIENT: McDonnell Douglas Aircraft
3855 Lakewood Blvd.
Long Beach, CA 90846
ATTN: Scott Lattimore

REPORT DATE: Jan. 22, 1997

RECEIVED: Jan. 09, 1997

LABORATORY NUMBER: 400115

SAMPLE DATE & TIME: 01/09/97; 09:10 AM
SAMPLE SITE: Torrance Stormdrain,
next to site #799
PERMIT NUMBER: NPDES #CA0001414

QUARTERLY INDUSTRIAL WASTEWATER ANALYSIS, AS REQUESTED


RESULTS

pH, Units (EPA 150.1)
Temperature, °F

9.0
55

MILLIGRAMS PER LITER

<u>PARAMETER</u>	<u>METHOD</u>	<u>DETECTION LIMIT</u>	<u>CONCENTRATION</u>	<u>DATE OF ANALYSIS</u>
<u>GRAB SAMPLE</u>				
Oil & Grease	413.1	5.0	8.7	01/22/97
<u>COMPOSITE SAMPLE</u>				
Biochemical Oxygen Demand	405.1	2.0	11	01/15/97
Settleable Solids	160.5	0.1 ml/L/hr	37	01/10/97
Total Suspended Solids	160.2	5.0	4,600	01/10/97
Chromium, Total	200.7	0.04	0.49	01/14/97



Respectfully Submitted,
Truesdail Laboratories, Inc.

Julia Nayberg
Julia Nayberg, Manager
Water and Waste Laboratory

This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public and these Laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising of publicity matter without prior written authorization from these Laboratories.